

EAST

L Number	Hits	Search Text	DB	Time stamp
-	27392	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:57
-	14884	((("709").CLAS.) and @ad<20001209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:45
-	1	((("709").CLAS.) and @ad<20001209) and (resubmi\$8 or (already adj submitted)) near5 (http adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:52
-	58	((("709").CLAS.) and @ad<20001209) and (resubmi\$8 or (already adj submitted)) near5 (request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:49
-	1	((("709").CLAS.) and @ad<20001209) and disabl\$4 near5 (http adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:50
-	1	((("709").CLAS.) and @ad<20001209) and disabl\$4 near10 (http adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:50
-	3	((("709").CLAS.) and @ad<20001209) and disabl\$4 same (http adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:51
-	12	((("709").CLAS.) and @ad<20001209) and disabl\$4 same (subsequent adj3 request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:51
-	5	(resubmi\$8 or (already adj submitted)) near5 (http adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:54
-	3	duplicate near5 (http adj request)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:55
-	0	((("709").CLAS.) and @ad<20001209) and disabl\$4 near3 duplicate near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:27
-	72	((("709").CLAS.) and @ad<20001209) and duplicate near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:56

-	0	((("709").CLAS.) and @ad<20001209) and disadvantage same duplicate near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 11:57
-	11	((("709").CLAS.) and @ad<20001209) and problem same duplicate near3 request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:01
-	10	("5821927" "6021426" "6094662" "6112321" "6167438" "6182133" "6185598" "6243089" "6243760" "6324584").PN.	USPAT	2004/03/26 12:00
-	160	((("709").CLAS.) and @ad<20001209) and browser near2 cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:01
-	98	((("709").CLAS.) and @ad<20001209) and browser near2 cach\$3 same request	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:42
-	13	((("709").CLAS.) and @ad<20001209) and browser near2 cach\$3 same request same (disabl\$3 or inhibit\$3 or stop\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:07
-	3	((("709").CLAS.) and @ad<20001209) and browser near2 cach\$3 same request same (input)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:09
-	11	((("709").CLAS.) and @ad<20001209) and browser same cache same refresh same (client or user)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:09
-	35	((("709").CLAS.) and @ad<20001209) and duplicate near5 transactions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:28
-	25	((("709").CLAS.) and @ad<20001209) and duplicat\$3 near3 transactions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:28
-	26	("5202982" "5313635" "5347269" "5553143" "5699513" "5724510" "5751956" "5774664" "5793495" "5838318" "5842211" "5864863" "5884304" "5899980" "5903721" "5905979" "5920696" "5930472" "5941944" "5949771" "5966714" "5968134" "5999929" "6108646" "6108673" "6122372").PN.	USPAT	2004/03/26 12:30
-	2	6237035.URPN.	USPAT	2004/03/26 12:31
-	74	((("709").CLAS.) and @ad<20001209) and browser near2 cach\$3 same request same (user or client)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:50
-	2	6510458.URPN.	USPAT	2004/03/26 12:48
-	15	("5706507" "5737619" "5754774" "5774660" "5809250" "5821927" "5852717" "5878213" "5878233" "5884033" "5913033" "6122657" "6144996" "6178461" "6336117").PN.	USPAT	2004/03/26 12:48

-	50	((("709").CLAS.) and @ad<20001209) and ask\$3 near2 (user or client) near10 (refresh or update or continue)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:51
-	2	((("709").CLAS.) and @ad<20001209) and ask\$3 near2 (user or client) near10 (refresh or update or continue) same http	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:52
-	11	((("709").CLAS.) and @ad<20001209) and ask\$3 near2 (user or client) near10 (refresh or update or continue) same browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 12:53
-	38	((("709").CLAS.) and @ad<20001209) and (box or dialog or button or window) near6 (user or client) near6 (refresh or update or continue) same browser	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:00
-	0	(e\$1commerce or (online adj transaction)) near10 duplicate and @ad<20001209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:00
-	5	(e\$1commerce or (online adj transaction)) same duplicate and @ad<20001209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:01
-	0	(e\$1commerce or (online adj transaction)) same resubmit adj transaction and @ad<20001209	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:52
-	1	((("709").CLAS.) and @ad<20001209) and browser same resubmit adj form	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:54
-	1	((("709").CLAS.) and @ad<20001209) and resubmit adj form	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:54
-	1	((("709").CLAS.) and @ad<20001209) and resubmit\$4 adj form	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 13:54
-	0	((("709").CLAS.) and @ad<20001209) and resubmit\$4 adj transaction	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:02
-	2947	(705/26).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:03
-	239	((705/26).CCLS.) and duplicate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:03

-	33	((705/26).CCLS.) and duplicate same (browser or web adj page or form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 14:55
-	4	((705/26).CCLS.) and duplicat\$3 same form adj submissions	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:37
-	8	(("709").CLAS.) and HTTP adj form same (button or link or input) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:49
-	1885542	(("709").CLAS.) and functional group and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:49
-	62	(("709").CLAS.) and functional adj group and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:49
-	1	(("709").CLAS.) and functional adj group same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:50
-	2	(("709").CLAS.) and grouped adj together same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:51
-	0	(("709").CLAS.) and grouping adj inputs adj together same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:51
-	0	(("709").CLAS.) and grouping adj links adj together same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 10:57
-	0	(("709").CLAS.) and grouping adj3 together same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:54
-	41	(("709").CLAS.) and disabl\$4 near4 back and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:53
-	0	(("709").CLAS.) and disabl\$4 near4 back adj button and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:54
-	2	disabl\$4 near4 back adj button and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:53

-	0	((("709").CLAS.) and associated adj functions same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 15:54
-	0	((("709").CLAS.) and disabl\$4 with back adj button and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:34
-	4	((("709").CLAS.) and member near4 group same disabl\$4 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:37
-	8	((("709").CLAS.) and multiple adj2 submissions and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/26 16:37
-	19	("5862330" "5954798" "6070185" "6105055" "6112240" "6144991" "6161137" "6161149" "6178439" "6185602" "6230185" "6240444" "6295550" "6295551" "6298356" "6308188" "6338086" "6353851" "6393475").PN.	USPAT	2004/03/26 16:38
-	0	6675216.URPN.	USPAT	2004/03/26 16:39
-	19	((("709").CLAS.) and (group\$3 or associat\$3) near4 common same web adj page and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:03
-	2947	(705/26).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:00
-	27392	("709").CLAS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:01
-	250	((705/26).CCLS.) and (("709").CLAS.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:01
-	149	((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:01
-	0	(((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and (group\$4) near4 common same (page or form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:33
-	3	(((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and (group\$4) near4 common	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:02
-	6	((("709").CLAS.) and (group\$3 or associat\$3) near4 common same html and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:27

-	6	((("709").CLAS.) and (group\$3 or associat\$3) near4 common adj (elements or functions) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:30
-	415	((("709").CLAS.) and (html or form) same submit and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:31
-	27	((("709").CLAS.) and (html or form) same submit same (group\$4) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:31
-	30	((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and html near6 form	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:35
-	23	((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and duplicate	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:38
-	0	((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and double adj post	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:38
-	0	((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and back same refresh same (transaction or submit)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:39
-	0	((((705/26).CCLS.) and (("709").CLAS.)) and @ad<20001208) and back near4 refresh	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/29 11:39
-	2	grey adj out near5 button	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:59
-	2218	disabl\$3 near5 button	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 10:59
-	85	disabl\$3 near5 button same (gui or web adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:30
-	26	disabl\$3 near5 button same (gui or web adj page) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:15
-	15	disabl\$3 near5 (submit or link) same (gui or web adj page) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:20

-	16	6085224.URPN.	USPAT	2004/03/31 11:19
-	2	disabl\$3 near5 (submit) same (form) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:22
-	225	((("709").CLAS.) and disabl\$3 same (form) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:22
-	44	((("709").CLAS.) and disabl\$3 with (form) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:23
-	1	((("709").CLAS.) and disabl\$3 with (form) same html and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:24
-	1	((("709").CLAS.) and disabl\$3 with (form) same http and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:24
-	13	((("709").CLAS.) and disabl\$3 with (form) and http and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:24
-	161	group\$3 near5 button same (gui or web adj page)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:30
-	68	group\$3 near5 button same (gui or web adj page) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:36
-	9	group\$3 near5 button same (gui or web adj page) same form and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 11:59
-	3	submit same form same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:02
-	8	attribute same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:04
-	72	setting same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:05

-	0	resubmi\$8 same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:06
-	1	retransmi\$8 same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:08
-	0	((("709").CLAS.) and http same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:08
-	34	((("709").CLAS.) and request same option\$4 near6 confirm\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:14
-	0	((("709").CLAS.) and request same option\$4 near6 confirm\$8 near10 permission and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:15
-	0	request same option\$4 near6 confirm\$8 near10 permission and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:14
-	0	option\$4 near6 confirm\$8 near10 permission and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:15
-	332	confirm\$8 near10 permission and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:15
-	19	((("709").CLAS.) and confirm\$8 near10 permission and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:24
-	135	((("709").CLAS.) and dialog adj box near10 option\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:24
-	12	((("709").CLAS.) and dialog adj box near10 option\$8 near10 allow and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:26
-	3	((("709").CLAS.) and dialog adj box near10 option\$8 near10 password and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:28
-	24	dialog adj box near10 option\$8 near10 password and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:27

-	156	((("709").CLAS.) and (requests or transmission or submi\$8) near3 (protected or locked) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:29
-	38	((("709").CLAS.) and (requests or transmission or submi\$8) near3 (protected or locked) same (message or dialog) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:31
-	29	((("709").CLAS.) and error adj (message or dialog or pop\$1up or window) near10 option\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:34
-	6	((("709").CLAS.) and warning adj (message or dialog or pop\$1up or window) near10 option\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:34
-	8	((("709").CLAS.) and warning adj (message or dialog or pop\$1up or window) near10 (confirm\$8 or option\$8) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 12:38
-	32	((("709").CLAS.) and (message or dialog or pop\$1up or window) near10 confirm\$8 near10 option\$8 and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:36
-	0	((("709").CLAS.) and (message or dialog or pop\$1up or window) near10 manual adj override and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:38
-	3	((("709").CLAS.) and (message or dialog or pop\$1up or window) near10 you adj sure and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:37
-	26	(message or dialog or pop\$1up or window) near10 manual adj override and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:39
-	57	(message or dialog or pop\$1up or window) near10 override same (form or web adj page or http or html) and @ad<20001208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 13:39
-	16	internet adj explorer near5 cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:13
-	109	internet adj explorer same cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:17
-	9	internet adj explorer near3 (version or "3.02") same cache	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:17

-	12	internet adj explorer same cache and @ad<19971208	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/31 16:17
---	----	---	---	------------------